

Request for Quotations

RFQ TENDER OPENING 01.04.2026

Wednesday, April 1 · 11:00am – 1:00pm

Time zone: UTC

Google Meet joining info

Video call link: <https://meet.google.com/unz-rjpw-tnf>

ITEM NO	RFQ No.	DESCRIPTION	QTY	SPECIFICATION
	RFQ 204-26 RE-TENDER	Supply ,delivery ,installation and commissioning of 5KVA Solar system for Kamativi repeater station in Matabeleland North	1	
1	260-26	Supply and delivery of Omni book laptops	5	See attached Specification
2	261-26	Supply and delivery of Cartridges <ul style="list-style-type: none"> • QX-1460A/HP146A 2 X HP 230X Black Toner Cartridge (7500 Pages) 2 X HP 230X Cyan Toner Cartridge (5500 Pages) CNHPW2301X 2 X HP 230X Magenta Toner Cartridge (5500 Pages) CNHPW2303X 2 X HP 230X Yellow Toner Cartridge (5500 Pages) CNHPW2302X • 	3	
3	262-26	Supply and delivery of Cellphones: <ul style="list-style-type: none"> • Samsung S24 Ultra 256 GB • Samsung S25 256GB • Samsung S25 Ultra 256 GB • Apple iPhone 16 Pro White Titanium colour, 256GB • iPhone 17 ProMax, 256GB Payable in us\$	1 1 2 1 1	
4.	263-26	Supply and delivery of Pantum Fuser Unit	1	See attached specification/See sample at Telone Runhare help desk
5.	264-26	Supply and delivery of Core i7 laptops	2	See attached specification
6	265-26	Supply. Delivery and printing of the following fliers <ol style="list-style-type: none"> 1. Double sided A5 Full Colour (comes in different artworks design 2. A4 Double sided folded into 3 full colour (comes in different artworks) For urgent delivery	25000 10000	To see samples @8 th floor Runhare House, Marketing
7	266-26	Hiring of Gaming units for 6days during the ZITF in Bulawayo from 20.04.2026 to 25 April 2026 Payable in USD	1	Specifications attached below the table
8	267-26	Hiring of LED screens during ZITF for 7days Payable in USD	4	Specs attached below the table
9	280-26	Supply and delivery of Local Purchase books ST6 (Printed stationery)	100	See sample at Stationery Stores, Epton St.
10	281-26	Supply and delivery of self-inking date stamps	11	Durable plastic or metal casing, replaceable ink pad, clear and legible imprint, manual rotary adjustment & suitable for frequent daily office use

11	282-26	Supply and delivery of square tubes 40x40x2mm	400	
12	283-26	Supply and delivery of square tube 60 x 60 x 2mm	300	

Closing date for ALL Tenders: On or before 11:00hrs; Wednesday 01 April 2026

Bidding Terms

- **Quotations should be in US\$ payable in local currency**
- **Payment Terms – 30 days**
- **Bidders to provide valid tax clearance certificate**
- **Bidders with outstanding orders for any of the above items will not be considered.**
- **TELONE RESERVES THE RIGHT TO INCREASE AND DECREASE QUANTITY**
- **Bidders should also be compliant with the new regulations for FISCAL TAX INVOICE where necessary.**
- **Each tender should be in its own envelope; tenders should not be mixed on one quotation.**
- **It is the Bidder's responsibility to ensure that they receive a receipt confirming submission of their bid that has correct details of the Bidder and the number of the Bid.**

Your Tender should state the price (Please state your VAT status), a firm delivery date Emailed to both procurement@telone.co.zw and procurement@telmail.co.zw. Physical copies to be **HAND DELIVERED** to TelOne, Procurement, 8th Floor, Runhare House.

RFQ 204-26

Kamativi Repeater Solar Technical Specifications

Scope of Work and Technical Specifications for the Solar Plant

- Supply, installation and commissioning of a 5kVA Solar PV power plant
- Building has no north facing roof and contractor shall mount a suitable steel structure on the roof so that the panels face North.
- The contractor shall be expected to install DC fuses boxes complete with a DC isolator as well as a manual bypass switch.

Solar Inverter Specifications

- Rated AC Output of 5000W
- Inverter shall have a colorful touch LCD
- IP65 protection degree
- The inverter shall be a 220V single phase, pure sine wave inverter
- Inverter shall have 2 strings per MPPT in a 1 + 1 configuration
- Start Up Voltage of the inverter shall be 150V
- Rated output and UPS power of the inverter shall be 5000W
- The inverter shall have the following five (5) connection ports: battery, load, grid, generator, and PV
- The inverter shall have 2 MPPT Trackers
- The inverter shall be capable of showing the following parameters: Daily solar/grid power, monthly accumulative solar/grid power, yearly accumulative solar/grid power and total accumulative solar/grid power
- The inverter shall be capable of being programmed for supply priority for solar, battery or grid power
- The inverter shall have the following basic protection: overload / over-temperature / short-circuit protection
- Inverter shall have a warranty period of 5 years

Battery Specifications

- Battery size shall be 200Ah by 48V
- Battery form factor shall be rack mountable with LEDs to show state of charge
- Storage system technology LiFePO₄
- System voltage shall be 48V DC
- Advanced BMS to protect battery module from abnormal conditions.
- Conforms to any of the following IEC standards, IEC 62040, 62619, and 62477
- Supports high DoD >95% with over 6000 cycles at 80% DoD
- Battery shall be ROHS compliant

Solar PV modules specifications

- Minimum module size shall be 600Wp
- Module shall be monocrystalline solar with a module efficiency >23%
- Modules shall have at least 10 years' linear power performance warranty
- Modules shall be certified by IEC, UL or UNI
- System array size shall be at least 6000W
- Modules shall have a linear power warranty of at least 20 years

NB:

1. **Bidders to submit datasheets of the inverter, battery and solar pv modules to be supplied failure of which shall lead to automatic disqualification**
2. **Kamativi is about 90km from Hwange. Road terrain is terrible and the contractor shall have a suitable vehicle to navigate the rough terrain.**

RFQ 260-26

HP OmniBook Ultra 7 Flip 14

Item	Specifications	Compliance
	Processor: Intel® Core™ Ultra 7 356H (up to 4.7 GHz with Intel® Turbo Boost Technology, 18 MB L3 cache, 16 cores, 16 threads)	
	Performance Technology: Intel® Evo™ laptop	
	Graphics: Integrated Intel® Graphics	
	Display: 14" diagonal, 3K (2880 x 1800), OLED, multitouch-enabled, up to 120 Hz, 0.2 ms response time, UWVA, edge-to-edge glass, micro-edge, Corning® Gorilla® Glass 3, Low Blue Light, SDR 500 nits, HDR 1100 nits, 100% DCI-P3	
	Display brightness: 500 nits	
	Display colour gamut: 100% DCI-P3	
	Memory: 32GB DDR5	
	Storage: 1 TB PCIe® Gen5 NVMe™ M.2 SSD	
	Wireless technology: Intel® Wi-Fi 7 BE211 (2x2) and Bluetooth® 6.0 wireless card	
	Power supply: 65 W USB Type-C® GaN power adapter	
	Battery: 4-cell, 70 Wh Li-ion polymer	
	Battery Recharge Time: Supports battery fast charge: approximately 50% in 45 minutes	
	Energy efficiency: EPEAT® Gold with Climate+	
	Webcam: 5MP IR camera with HDR auto switch, temporal noise reduction and integrated dual array digital microphones	
	Audio Features: DTS:X® Ultra, Quad speakers, HP Audio Boost Poly Studio	
	Sensors: Accelerometer, Gyroscope, IR thermal sensor	
	Colour: Eclipse gray aluminum	
	Pointing device: Haptic touchpad	
	Keyboard: Full-size, backlit, darker eclipse gray opaque keyboard	
	Security management: Mic mute key, Camera privacy shutter, Trusted Platform Module (Firmware TPM) support	
	Neural Processing Unit (NPU): Intel® AI Boost (50 NPU TOPS)	
	Accessories: USB-C to multiport adapter and Laptop bag (See specs below)	
	Warranty: 1 year	

USB-C Multiport Adapter

8-in-1 USB-C Docking Station HUB | 4K HDMI | USB 3.0 | PD | SD/TF | RJ45



Hardware Interface USB 3.1 Type A, SD/TF, USB 3.0 Type C, Ethernet, HDMI, 3.5mm Audio, USB 3.0

Special Feature Portable, Lightweight, Heat Resistant, Fast Charging, Fast Data Transfer, Plug and Play

Compatible Devices Smartphones, Laptops, Mouse/Keyboards, Dell/HP/Lenovo/Samsung, MacBook Pro/Air

Laptop Bag

Carry Case	 <p>Compatibility: Fits 13", 14", or 16"</p> <p>Material: Durable, water-resistant 800D nylon.</p> <p>Features:</p> <ul style="list-style-type: none"> • Dedicated padded laptop compartment. • Organization panel for accessories (pen loops, pockets). • Pass-through panel for attaching to rolling luggage. • Removable, padded shoulder strap. • Front loading for easy access. <p>Color: black.</p>
------------	--

RFQ 263-26

Pantum Fuser Unit

Type	Fuser Unit
Compatible Printer Models	BP5100 BM5100 BP5100DN BM5100ADW BM5100FDW
Part Number	302111018801
Brand	NI-KDS

RFQ 264-26

Victus or Omnibook Core i7 Laptop Specifications

Item	Specifications	Compliance
1	Operating system Windows 11	
2	Processor family 13th Generation Intel® Core™ i7 processor	
3	Processor Intel® Core™ i7-13620H (up to 4.9 GHz with Intel® Turbo Boost Technology, 24 MB L3 cache, 10 cores, 16 threads) ^{1 2}	
4	Chipset Intel® integrated SoC	
5	Graphics Discrete, NVIDIA® GeForce RTX™ 3050 Laptop GPU (6 GB GDDR6 dedicated)	

6	Memory	32 GB DDR4-3200 MT/s (2 x 16 GB) (Transfer rates up to 3200 MT/s.)
7	Internal Storage	2 TB PCIe® Gen4 NVMe™ M.2 SSD
8	Display	(15.6-16 inch) diagonal, FHD (1920 x 1080), 144 Hz, 9 ms response time, IPS, micro-edge, anti-glare, 250 nits, 45% NTSC ³
9	Touchscreen	No
10	Colour gamut	45% NTSC
11	Brightness	250 nits
12	Flicker-free	Yes
13	Battery type	4-cell, 70 Wh Li-ion polymer
14	Battery life	Up to 8 hours and 30 minutes
15	Battery recharge time	Supports battery fast charge: approximately 50% in 30 minutes
16	Wireless	MediaTek Wi-Fi 6 MT7921 (2x2) and Bluetooth® 5.3 wireless card (supporting gigabit data rate) ^{9 10 11} (Modern Standby (Connected); HP Extended Range Wireless LAN)
18	Network interface	Integrated 10/100/1000 GbE LAN
19	Keyboard	Full-size, backlit, performance blue keyboard with numeric keypad
20	Camera	HP Wide Vision 720p HD camera with temporal noise reduction and integrated dual array digital microphones
21	Audio	Audio by B&O; Dual speakers; HP Audio Boost
22	Pointing device	HP Imagepad; Precision Touchpad support
23	Expansion slots	1 multi-format SD media card reader
24	Ports	1 USB Type-A 5Gbps signaling rate; 1 USB Type-A 5Gbps signaling rate (HP Sleep and Charge); 1 USB Type-C® 5Gbps signaling rate (DisplayPort™ 1.4, HP Sleep and Charge); 1 HDMI 2.1; 1 RJ-45; 1 AC smart pin; 1 headphone/microphone combo
25	Power supply type	200 W Smart AC power adapter
26	Security management	Trusted Platform Module (Firmware TPM) support
27	Sustainable impact specifications	Ocean-bound plastic in speaker enclosure(s) and bezel; Keyboard keycaps and scissors contain post-consumer recycled plastic
28	Manufacturer Warranty	1 year (1/1/0) limited warranty includes 1 year of parts and labor.

RFQ 266-26 GAMING EQUIPMENT FOR HIRE

Gaming units

- Duration for hiring 6 days
- Payment USD Nostro
- Include Accommodation and Set Up Costs for the Duration (7 Days)

Specifications

<p>Meta Quest 3 X 2</p>	<ul style="list-style-type: none"> wireless VR headset with crystal-clear visuals for immersive gaming events inclusive of Games 
<p>Play station 5 X 1</p>	<ul style="list-style-type: none"> lightning-fast performance and stunning graphics for blockbuster titles and competitive multiplayer with 3 x Built in Games 
<p>VR Beatstar X 1</p>	<ul style="list-style-type: none"> VR Beatstar dual-seat full-motion simulator Full-motion seats with 360° action and vibration haptics Capacity: 2 riders 
<p>GT Lite Sim Racing X 1</p>	<ul style="list-style-type: none"> Lightweight, foldable racing cockpit with adjustable seat, wheel and pedal mounts for a realistic driving setup. 

RFQ 267-26 LED SCREENS FOR HIRE

LED Screens

Specifications

- Size 3m X 2m LED Indoor screens
- Quantity 5
- Duration for hire 7 days
- Payment in USD Nostro
- Include Accommodation and Set Up Costs for the Duration (7 Days)

RFQ 268-26 ALARM SYSTEMS

Supply and install Videofied Wireless Alarm System and provide the respective monitoring and rapid response services at the following base stations in Chitungwiza.

1. Unit J LTE Base Station
2. Zengeza 5 LTE Base Station
3. Zengeza 3 LTE Base Station

Specifications

Videofied Alarm System with the following per site:

- LCD keypad for arming and disarming.
- Key Forb for Arming/Disarming
- Control Panel
- Remote panic buttons
- Motion Sensors to cover Base Station
- Cameras to cover Base Station
- Videofied Siren to be mounted at the Base Station
- HYP internet module that allows remote management of the alarm system