

Request for Quotations

LINK FOR RFQ TENDERS CLOSING 15/07/2026

Monday, July 13 · 11:00am – 2:00pm

Time zone: UTC

Google Meet joining info

Video call link: <https://meet.google.com/ruw-dvst-kme>

ITEM NO	RFQ No.	DESCRIPTION	QTY	SPECIFICATION
1	585-26	Supply and delivery of a Printer	1	See attached Specifications
2	586-26	Supply and delivery of Tablets	5	See attached Specification
3	587-26	Supply and delivery of Cellphones: - Iphone 16 promax 256GB - Iphone 17 promax 256GB Payable in US\$	1 2	
4	588-26	For supply and delivery of branded exercise books 32 pages Bidders to see samples @8 th Floor Procurement For urgent delivery	10,000	To see sample (a must)
5	589-26	Supply and delivery of R410A gas	15	See sample at Apparatus store, Epton st
6	590-26	Supply and delivery of R134A Gas	15	See sample at Apparatus store, Epton st
7	591-26	Supply and delivery of bolts and nuts 12x125mm	3000	See sample at OHL Msasa
8	592-26	Supply and delivery of double ended bolts D/E 10x350mm	1000	See sample at OHL Msasa
9	593-26	Supply and delivery of steel pipe 48 x 2mm	150	See sample at E-Mech Msasa
10.	594-26	Supply and delivery of Laptops	4	See attached Specification
11.	595-26	Supply and delivery of NP200 spares as follows: - Clutch kit - Clutch master cylinder	60 24	See samples at Transport Stores Epton, Harare
12.	596-26	Supply and delivery of Batteries size 622 preferably willards/exide	60	See samples at Transport Stores Epton, Harare
13.	597-26	Supply and delivery of tyres as follows: 195/65R15 245/70R16	60 60	See samples at Transport Stores Epton, Harare
14.	598-26	Supply and delivery of the following: 12V H1 Bulbs s/c preferably Osram, phillips - Oil Filter NP200 - Air Filter NP200 - Inner Air Filter Kuzer - Clutch master cylinder Mazda B1800 - Mazda 3 fuel filter	300 120 120 20 12 24	See samples at Transport Stores Epton, Harare

Closing date for ALL Tenders: On or before 11:00hrs; Wednesday 15 July 2026

Bidding Terms

- **Quotations should be in US\$ payable in local currency**

- **Payment Terms – 30 days**
- **Bidders to provide valid tax clearance certificate**
- **Bidders with outstanding orders for any of the above items will not be considered.**
- **TELONE RESERVES THE RIGHT TO INCREASE AND DECREASE QUANTITY**
- **Bidders should also be compliant with the new regulations for FISCAL TAX INVOICE where necessary.**
- **Each tender should be in its own envelope; tenders should not be mixed on one quotation.**
- **It is the Bidder’s responsibility to ensure that they receive a receipt confirming submission of their bid that has correct details of the Bidder and the number of the Bid.**

Your Tender should state the price (Please state your VAT status), a firm delivery date Emailed to both procurement@telone.co.zw and procurement@telmail.co.zw. Physical copies to be **HAND DELIVERED** to TelOne, Procurement, 8th Floor, Runhare House.

RFQ 585-26

Medium Mono LaserJet Multifunction Printer

Item	Feature	Specifications		Compliance
1	Technology	<i>Print technology</i>	Mono LaserJet	
2	Print	<i>Print Speed</i>	40ppm (A4 single-sided)	
3		<i>First Print out time</i>	≤5.9s	
4		<i>Duplex print speed</i>	20spm (sheets per minute) (A4)	
5		<i>Print resolution</i>	Optical resolution: 600×600dpi	
6			Enhanced resolution: 1200×600dpi	
7		<i>Print Languages</i>	PCL5e、PCL6、PS、GDI	
8		<i>Duplex printing</i>	Auto	
9		<i>USB flash drive print</i>	YES	
10		<i>Mobile print</i>	AirPrint、Mopria™ Print Service、Mopria Scan、APP print(iOS App/Android App)	
11		<i>NFC</i>	YES (except IOS)	
12		<i>Operating system compatibility</i>	Microsoft Windows :	
13			Server2012/Server2016/2019/2022/XP/Win 7/Win8/Win8.1/Win10/win11 (32/64 bit)	
14			Mac OS : 10.10~14.3	
15			Linux Ubuntu 16.04/18.04/20.04/22.04/24.04/	
16			Debian 10.0/Centos 7 (32/64 bit,intel Processor) ;	
17			Astra Linux Special Edition V1.6/Redhat 8.2.0/ Centos 8.2(64 bit,intel Processor)	
18			Android : 8.0 and later	
19			iOSAPP : IOS 13 and later	
20		<i>Other printing functions</i>	Booklet printing,usb printing, mute printing, envelope printing without wrinkles,confidential printing, PDF printing	
21	Paper handling	<i>Paper input tray</i>	standard input tray : 250 pages;	
22			Multipurpose input tray : 50 pages;	
23			Optional tray : 500 pages	
24			Total input tray : 1,410 pages	
25		<i>Paper output tray</i>	150 pages	
26		<i>Paper output full decatation</i>	YES	
27		<i>Media type</i>	1. Automatic paper feeder: plain paper, thick paper, transparent film, thin paper, recycled paper	
28			2. Multi-purpose paper feeder: plain paper, thick paper, card paper, label paper, envelope, thin paper, extra thick paper	
29			3. Optional paper tray: plain paper, thick paper, thin paper	
30		<i>Media size</i>	A4, A5, JIS B5, ISO B5, A6, Letter, Legal, Executive, Folio, Oficio,	
31			Statement, Japanese Postcard, Monarch Env, DL Env, C5 Env, C6 Env, No.10 Env, ZL, Big 16K, Big 32K, 16K, 32K, B6, Yougata4, Postcard, Younaga3, Nagagata3, Yougata2	
32			Minimum support ed size: 80mm x 148mm	
33			Maximum support ed size: 216mm x 356mm	

34		<i>Media weight</i>	input tray : 60-120g/m ²	
35			Multipurpose tray : 60-200g/m ²	
36			Optional tray : 60-120g/m ²	
37	Copy	<i>Copy Speed</i>	FB single-sided A4: 40cpm	
38			ADF single-sided A4: 40cpm;	
39			ADF double-sided A4: 20 pages/min	
40		<i>Duplex Copy Speed</i>	ADF duplex A4: 20 pages/min	
41		<i>First copy out time</i>	FB : less than 10s ; ADF : less than 11s; ADF duplex ≤20s	
42		<i>Copy Mode</i>	Normal mode: Automatic (default), Text and Image, Text, Image	
43			Special mode: Receipt copy, ID card copy (automatic correction), All-in-one copy, Clone copy, Poster copy, Copy by copy, Binding margin	
44		<i>Copy Resolution</i>	FB: Maximum 600×600dpi	
45			ADF: Maximum 600×600dpi	
46		<i>Zoom</i>	25%~400%	
47		<i>Maximum copy pages</i>	99 pages	
48		<i>Additional function</i>	Copy settings: original size, copy to, duplex copy, image quality, brightness, zoom, collate, multiple pages in one, clone, poster, flip mode	
49	Scan	<i>Scanner Tech</i>	CIS	
50		<i>Scanner type</i>	FB+DADF	
51		<i>Scanner mode</i>	Color, Gray, Black & White	
52		<i>ADF single-sided scanning speed</i>	300 gray single-sided scanning mode A4: 40ppm	
53			300 color single-sided scanning mode A4: 13ppm	
54			300 gray single-sided scanning mode Letter: 42 ppm	
55		<i>ADF duplex scanning speed</i>	300 gray duplex scanning mode A4: 24ppm (48ipm)	
56			300 color duplex scanning mode A4: 8ppm (16ipm)	
57			300 gray duplex scanning mode Letter: 50 ipm	
58		<i>ADF input capacity</i>	50 pages (80g/m ²)	
59		<i>Maximum scan dpi</i>	FB: pull scan 2400x2400dpi (displayed on the driver side as 2400dpi),	
60			FB: push scan 1200 x 1200dpi (displayed on the driver side as 1200dpi)	
61			ADF: pull scan/push scan: 600x600dpi (displayed on the driver side as 600dpi)	
62		<i>Maximum scan size</i>	FB : 216×297mm	
63			ADF: 216×356mm	
64		<i>Scan Destinations</i>	Scan to PC、Mail、FTP、SMB、U-disk	
65		<i>Scan format</i>	Push scan : PDF, TIFF, JPG, OFD	
66			Pull scan : PDF, TIFF, JPG, BMP, PNG, OFD、DOCX、XLS、XLSX、PPTX、TXT、Searchable PDF	
67		<i>Pantum scan application software</i>	YES	
68		<i>Other scan function</i>	OCR	
69	General	<i>Control panel</i>	3.5 inch touch screen	
70		<i>Processor speed</i>	1.2G Hz	
71		<i>Memory</i>	512Mb	
72		<i>Recommended Monthly Duty Cycle</i>	750 to 4,000 pages	
73		<i>Monthly Duty Cycle</i>	100,000 pages	
74		<i>Interface</i>	Host USB port for printer cable	
75			IEEE 802.3 10/100/1000Base-Tx; for network printing	
76			WiFi (2.4G/5G): IEEE 802.11a/b/g/n+Bluetooth for wireless printing	
77			USB interface for USB Flash Device	
78		<i>Power Input</i>	220V : AC220-240V, 50/60Hz, 6.5A	
79		<i>Energy Star standards</i>	Energy Star 3.2	
80		<i>Operating Environment</i>	basic used temperature : 5~35°C	
81			Humidity range : 20% ~ 80%	
82	Consumable	<i>Consumable Type</i>	Toner Cartridge & Drum Unit (<i>if technology uses drum unit</i>)	
83		<i>Starter Cartridge Yield</i>	(3,000 pages)	
84		<i>Starter drum unit Yield</i>	(30,000 pages)	

85		<i>Alternative Cartridges</i>	Standard (3,000 pages)	
86			High Yield (6,000 pages)	
87			Extra High Yield (15,000 pages)	
88		<i>Standard drum unit Yield</i>	(30,000 pages)	
89	Warranty		1 Year	
90	Preferred Brands		Pantum, HP, Canon, Olivetti, Epson, Xerox, Kyocera	

RFQ 586-26

Samsung Galaxy Tab S10 FE+



- 1. **Display:** 13.1-inch LCD (2880 x 1800 resolution), 90Hz refresh rate
- 2. **Processor:** Samsung Exynos 1580
- 3. **Memory & Storage:** 12GB RAM + 256GB storage
- 4. **Connectivity:** 5G, Wi-Fi 6E
- 5. **Battery:** 10,090 mAh capacity with fast charging
- 6. **Durability:** IP68 water and dust resistance (including the S Pen)
- 7. **13.1 Inch Screen Protector** for Samsung Galaxy Tab S10 FE Plus 2025, Tempered Glass for Samsung Tablet S10 FE+
- 8. **Protection Cover** Protective Shell with S Pen Holder,Auto Sleep/Wake.Black

RFQ 594-26

Victus Laptop Specifications

Item		Specifications	Compliance
1	Operating system	Windows 11	
2	Processor family	13th Generation Intel® Core™ i7 processor	
3	Processor	Intel® Core™ i7-13620H (up to 4.9 GHz with Intel® Turbo Boost Technology, 24 MB L3 cache, 10 cores, 16 threads)	

		OR
		AMD Ryzen 7 7840HS CPU Cores 8 Threads 16, Max. Boost Clock Up to 5.1 GHz Base Clock 3.8 GHz
4	Chipset	Intel® integrated SoC
5		AMD Radeon RX 6600S
	Graphics	OR
		NVIDIA® GeForce RTX™ 3050 Laptop GPU (6 GB GDDR6 dedicated)
6	Memory	32 GB DDR4-3200 MT/s (2 x 16 GB)
7	Internal Storage	1 TB PCIe® Gen4 NVMe™ M.2 SSD
8	Display	(15.6 to 16.1 inch) diagonal, FHD (1920 x 1080), 144 Hz, 9 ms response time, IPS, micro-edge, anti-glare, 250 nits, 45% NTSC ³
9	Touchscreen	No
10	Colour gamut	45% NTSC
11	Brightness	250 nits
12	Flicker-free	Yes
13	Battery type	4-cell, 70 Wh Li-ion polymer
14	Battery life	Up to 8 hours and 30 minutes
15	Battery recharge time	Supports battery fast charge: approximately 50% in 30 minutes
16	Wireless	MediaTek Wi-Fi 6 MT7921 (2x2) and Bluetooth® 5.3 wireless card (supporting gigabit data rate) ^{9 10 11} (Modern Standby (Connected); HP Extended Range Wireless LAN)
18	Network interface	Integrated 10/100/1000 GbE LAN
19	Keyboard	Full-size, backlit, performance blue keyboard with numeric keypad
20	Camera	HP Wide Vision 720p HD camera with temporal noise reduction and integrated dual array digital microphones
21	Audio	Audio by B&O; Dual speakers; HP Audio Boost
22	Pointing device	HP Imagepad; Precision Touchpad support
23	Expansion slots	1 multi-format SD media card reader
24	Ports	1 USB Type-A 5Gbps signaling rate; 1 USB Type-A 5Gbps signaling rate (HP Sleep and Charge); 1 USB Type-C® 5Gbps signaling rate (DisplayPort™ 1.4, HP Sleep and Charge); 1 HDMI 2.1; 1 RJ-45; 1 AC smart pin; 1 headphone/microphone combo
25	Power supply type	200 W Smart AC power adapter
26	Security management	Trusted Platform Module (Firmware TPM) support
27	Sustainable impact specifications	Ocean-bound plastic in speaker enclosure(s) and bezel; Keyboard keycaps and scissors contain post-consumer recycled plastic
28	Manufacturer Warranty	1 year (1/1/0) limited warranty includes 1 year of parts and labor.

16 Inch Backpack Laptop Bag Specifications



Item	Technical specifications	Compliance
29	Backpack, 24L capacity with built-in laptop cradle that which suspends hardware inside to prevent drop-damage	
30	Water-repellent fabric to ensure water runs off the bag instead of soaking through it & waterproof base to protect against puddles	
31	Back padding that maximises the circulation of air between the bag and user back to stay cool	
32	Utility straps that provide additional accessory storage on front of backpack	
33	Adjustable padded shoulder straps and chest strap ensure even weight distribution	
34	3 large zipped pockets for storage and organisation	
35	Backpack Colour: Black	