

Request for Quotations

ITEM NO	RFQ No.	DESCRIPTION	QTY	SPECIFICATION																								
1	379-26	Provision of a contractor for thrust boring services For the following sites: <table border="1" data-bbox="464 516 1535 928"> <thead> <tr> <th>Activities</th> <th>Number of Roads</th> <th>Total Length of roads crossing at each Intersection</th> <th>Co ordinates</th> </tr> </thead> <tbody> <tr> <td>Samora Machel / E.D Mnangangwa</td> <td>3</td> <td>65m</td> <td>17°49'24.76"S 31°03'42.92"E</td> </tr> <tr> <td>Tongogara / Prince Edward</td> <td>1</td> <td>20m</td> <td>17°49'05.97"S 31°02'14.37"E</td> </tr> <tr> <td>Cripps / Seke</td> <td>3</td> <td>120m</td> <td>17°51'09.28"S 31°03'12.78"E</td> </tr> <tr> <td>Rememberance / Cripps</td> <td>3</td> <td>60m</td> <td>17°50'58.36"S 31°02'27.30"E</td> </tr> <tr> <td>Robert Mugabe / N.G Nasser</td> <td>1</td> <td>20m</td> <td>17°50'01.76"S 31°02'19.39"E</td> </tr> </tbody> </table> <p>Compulsory site visit Site visit date: Monday 11 May 2026 Time: 1100hrs Venue: Samora Machel / E.D Mnangangwa Contact person: Christine Mariwo Contact Number:0773429252</p>	Activities	Number of Roads	Total Length of roads crossing at each Intersection	Co ordinates	Samora Machel / E.D Mnangangwa	3	65m	17°49'24.76"S 31°03'42.92"E	Tongogara / Prince Edward	1	20m	17°49'05.97"S 31°02'14.37"E	Cripps / Seke	3	120m	17°51'09.28"S 31°03'12.78"E	Rememberance / Cripps	3	60m	17°50'58.36"S 31°02'27.30"E	Robert Mugabe / N.G Nasser	1	20m	17°50'01.76"S 31°02'19.39"E	11 roads	Refer to table below:
Activities	Number of Roads	Total Length of roads crossing at each Intersection	Co ordinates																									
Samora Machel / E.D Mnangangwa	3	65m	17°49'24.76"S 31°03'42.92"E																									
Tongogara / Prince Edward	1	20m	17°49'05.97"S 31°02'14.37"E																									
Cripps / Seke	3	120m	17°51'09.28"S 31°03'12.78"E																									
Rememberance / Cripps	3	60m	17°50'58.36"S 31°02'27.30"E																									
Robert Mugabe / N.G Nasser	1	20m	17°50'01.76"S 31°02'19.39"E																									

Closing date for ALL Tenders: On or before 11:00hrs; Wednesday 13 May 2026

Telone reserves the right to increase or decrease quantities

Mandatory requirements

- Quotations should be in United States dollars \$
- Payment Terms – 30 days
- At least three (3) written trade references (in the form of official letters from corporate clients for supply of similar service as required by this tender.
- Bidders to confirm delivery period of 7 days.
- Bidders to provide valid tax clearance certificate
- **TelOne shall conduct a due diligence excise to confirm equipment availability which include thrust boring machine, standard piercing tools (65mm, 75mm & 110mm) and compressor**
- Bidders with outstanding orders for any of the above items will not be considered.
- TELONE RESERVES THE RIGHT TO INCREASE AND DECREASE QUANTITY
- Bidders should also be compliant with the new regulations for FISCAL TAX INVOICE where necessary.
- Each tender should be in its own envelope; tenders should not be mixed on one quotation.
- It is the Bidder's responsibility to ensure that they receive a receipt confirming submission of their bid that has correct details of the Bidder and the number of the Bid.

Technical requirements

Item No.	Item description and full technical Specification required (including applicable standards)	Compliance by bidders
1.	Directional drilling is the preferred method for crossing roads and should be used.	
2.	The working procedure involves digging drilling pits of 1.5 metres deep at both ends of the road.	
3.	Drilling underneath crossing the road using a standard piercing tool (65mm, 75mm & 110mm) and install 110mm Flex PVC (NB: Flex pipes will be provided by TelOne)	

4.	Install and Close both ends of the 110mm Flex PVC to prevent materials from getting inside the Flex PVC pipes and backfill the drilled pits. A marker is to be placed to show position of the installed Flex pipes.	
5.	It is the responsibility of the Contractor to ensure that every law regarding traffic, safety, traffic signs and barricading is complied with.	
6.	The angle of the crossing should be as near a right angle to the road centre line as possible.	
7.	The edge of the trench must be cut using asphalt/concrete cutters to deliver smooth, uniform edges	

Your Tender should state the price (Please state your VAT status), a firm delivery date Emailed to both procurement@telone.co.zw and procurement@telmail.co.zw. Physical copies to be **HAND DELIVERED** to TelOne, Procurement, 8th Floor, Runhare House.