

Request for Quotations

RFQ TENDERS CLOSING 8-07-2026

Wednesday, July 8 · 11:00am – 3:00pm

Time zone: Africa/Maputo

Google Meet joining info

Video call link: <https://meet.google.com/sxe-nrut-pwp>

ITEM NO	RFQ No.	DESCRIPTION	QTY	SPECIFICATION
1	565-26	Supply and delivery of : <ul style="list-style-type: none"> Galvanized razor wire top High strain wire 2mm galvanised Tying wire 2mm galvanised 	280m 25kg 10kg	
2	566-26	Supply and delivery of: 1. Terrier booster pump 2hp 2. Pressure tank 150L 3. Float switch 4. Chrome plated pillar taps 20mm 5. Chrome plated pillar taps 15mm 6. Flexi connectors 20mm 7. Flexi connectors 15mm 8. Dutton C' pack side feed front flush 9. Compression male to iron 22mm 10. Compression male to iron 15mm 11. Compression tee 15mm 12. Flush rubber connectors 13. External air vents 14. Cement 50kg 15. Pit sand 50kg 16. River sand 17. Bulk water meter 1" 18. Ball cock valve 1" CONTACT PERSON MR CHIMHUYA 0712097551 DELIVERY TO TELONE GWERU STORES	1 1 1 52 104 52 130 26 52 130 26 26 52 4 bags 10 bags 10 bags 1 1	
3.	567-26	Supply and delivery of paint :- 1. Red Oxide 5L tins 2. Silver Paints 5L tins 3. Thinners 5L tins	100L 100L 100L	
4.	568-26	Supply and delivery of :- 1. Cement 42.5 50kg 2. Cutting disc inch 3. Welding rods 3.15 vitamax 4. High-strain wire	30 bags 200 80kg 80m	

		5. Tying wire CONTACT PERSON MR MUTAPIRI 0782891139	10kg	
5.	569-26	Supply and delivery of:- 1. Galvanised Razor Wire Concertina (top) 2. Galvanised Ripper Razor Wire (270 x 3m) CONTACT PERSON MR MUTAPIRI 0782891139	300m 300m	
6.	560-26	Supply and delivery of Mikrotik RB5009 Routers	15	See attached specifications
7.	571-26	Supply and delivery of Anchor on nails M6 X 35mm(pack of 100)	30	See attached specifications
8.	572-26	Supply and delivery of patch cords • 20m single mode patch cords LC –ST Duplex • 30m single mode patch cords LC-ST	200 200	See attached specifications
9.	573-26	Supply and delivery of cisco router	1	See attached specifications
10.	574-26	Supply and delivery of trunking 40 x 40mm 3m length	400	See sample at Apparatus store, epton st
11	575-26	For supply and delivery of office furniture as follows: 1. Executive leather swivel Chairs as per picture 2. Visitors' Chairs leatherate as per attached picture	2 2	
12	576-26	For the Supply and delivery of laptops	5	See attached specifications

Closing date for ALL Tenders: On or before 11:00hrs; Wednesday 01 June 2026

Bidding Terms

- **Quotations should be in US\$ payable in local currency**
- **Payment Terms – 30 days**
- **Bidders to provide valid tax clearance certificate**
- **Bidders with outstanding orders for any of the above items will not be considered.**
- **TELONE RESERVES THE RIGHT TO INCREASE AND DECREASE QUANTITY**
- **Bidders should also be compliant with the new regulations for FISCAL TAX INVOICE where necessary.**
- **Each tender should be in its own envelope; tenders should not be mixed on one quotation.**
- **It is the Bidder's responsibility to ensure that they receive a receipt confirming submission of their bid that has correct details of the Bidder and the number of the Bid.**

Your Tender should state the price (Please state your VAT status), a firm delivery date Emailed to both procurement@telone.co.zw and procurement@telmail.co.zw. Physical copies to be **HAND DELIVERED** to TelOne, Procurement, 8th Floor, Runhare House.

RFQ 576-26

ZBook Firefly Laptop Specifications

Item	Specification	Details	Compliance
1	Model	HP ZBook Firefly 16 G11 Mobile Workstation	
2	Display	16-inch IPS, 16:10 aspect ratio	
3	Resolution	1920 × 1200 (WUXGA); optional 2.8K OLED on higher-end models	
4	Processor	Intel Core Ultra 7 155H	
5	Memory (RAM)	16GB DDR5-5600 MHz (upgradeable to 64GB via 2 SODIMM slots)	
6	Storage	512GB PCIe Gen4 NVMe SSD	
7	Graphics	Intel Arc Graphics (H-series CPUs) or optional NVIDIA RTX A500 Laptop GPU (4GB GDDR6)	
8	Operating System	Windows 11 Pro	
9	Display Brightness	300–1000 nits depending on panel option	
10	Wireless	Wi-Fi 6E, Bluetooth 5.3	
11	Webcam	5 MP camera with optional IR facial recognition	
12	Audio	Poly Studio-tuned stereo speakers, dual microphones	
13	Keyboard	Spill-resistant, backlit HP Premium Keyboard	
14	Ports	2 × Thunderbolt 4 (USB-C), 2 × USB-A, HDMI 2.0, 3.5 mm audio jack	
15	Security	TPM 2.0, fingerprint reader (optional), IR camera (optional), webcam privacy shutter	
16	Battery	HP Long Life Lithium-ion battery (capacity varies by configuration)	
17	Weight	Approximately 1.8 kg (varies with configuration)	

16 Inch Backpack Laptop Bag Specifications



Item	Technical specifications	Compliance
18	Backpack, 24L capacity with built-in laptop cradle that which suspends hardware inside to prevent drop-damage	
19	Water-repellent fabric to ensure water runs off the bag instead of soaking through it & waterproof base to protect against puddles	
20	Back padding that maximises the circulation of air between the bag and user back to stay cool	

21	Utility straps that provide additional accessory storage on front of backpack	
22	Adjustable padded shoulder straps and chest strap ensure even weight distribution	
23	3 large zipped pockets for storage and organisation	
24	Backpack Colour: Black	

Specifications

Mikrotik RB5009 Router Specifications

- **Product code** RB5009UPr+S+IN
- **Architecture** ARM 64bit
- **CPU** 88F7040
- **CPU core count** 4
- **CPU nominal frequency** 350-1400 (auto) MHz
- **CPU Threads count** 4
- **Switch chip model** 88E6393
- **RouterOS license** 5
- **Operating System** RouterOS v7
- **Size of RAM** 1 GB
- **Storage size** 1 GB

Storage type NAND

- **MTBF** Approximately 200'000 hours at 25C
- **Tested ambient temperature** -40°C to 60°C

RFQ573-26

CISCO Router



Label	Description
1	Status LED, cellular LED, blue beacon LED
2	Reset button
3	12 VDC power input
4	1 x RJ-11 DSL port
5	8 x GE RJ-45 ports
6	1 x GE RJ-45/SFP combo
7	1 x XGSPON/10G BASE-T port
8	1xRJ-45 console port
9	USB Type-C 3.0
10	Dual nano SIM Slots
11	Kensington lock, ground screw

RFQ571-26



RFQ572-26

20-meter Single Mode LC-ST Fiber Patch Cord Specifications

- Fiber Type: Singlemode OS2 9/125µm
- Fiber Count: Duplex (2-fiber)
- Connector Type: LC to ST
- Polish: UPC to UPC
- Cable Length: 20 meters
- Cable Diameter: 2.0 mm
- Tensile Strength: 150 N
- Insertion Loss: ≤0.3 dB
- Return Loss: ≥50 dB
- Repeatability: ≤0.1 dB
- Durability: ≤0.2 dB (1000 matings)
- Jacket Material: LSZH (Low Smoke Zero Halogen) for safety compliance
- Jacket Color: Yellow
- Operating Temperature: -20°C to 60°C
- Storage Temperature: -40°C to 85°C
- Compliance: ANSI/TIA-568.3-D, ITU-T G.657.A1, IEC 61300-3-4, IEC 61300-3-6, IEC 60874-1, Telcordia GR-326-CORE, RoHS compliant

30-meter Single Mode LC-ST Fiber Patch Cord Specifications

- Fiber Type: Singlemode OS2 9/125μm
- Fiber Count: Duplex (2-fiber)
- Connector Type: LC to ST
- Polish: UPC to UPC
- Cable Length: 30 meters
- Cable Diameter: 2.0 mm
- Tensile Strength: 150 N
- Insertion Loss: ≤0.3 dB
- Return Loss: ≥50 dB
- Repeatability: ≤0.1 dB
- Durability: ≤0.2 dB (1000 matings)
- Jacket Material: LSZH (Low Smoke Zero Halogen) for safety compliance
- Jacket Color: Yellow
- Operating Temperature: -20°C to 60°C
- Storage Temperature: -40°C to 85°C
- Compliance: ANSI/TIA-568.3-D, ITU-T G.657.A1, IEC 61300-3-4, IEC 61300-3-6, IEC 60874-1, Telcordia GR-326-CORE, RoHS compliant



