

# Request for Quotations

| ITEM NO | RFQ No.                | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | QTY                                         | SPECIFICATION |
|---------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------|
| 1       | Re-tender<br>RFQ664-26 | <p><b>REPAIRS TELONE BYO EXCHANGE</b></p> <p>Replacement of existing underground galvanized pipe 1 inch (25mm) with 32mm PVC class 16. Minimum trench depth of 650mm</p> <p>1. Plumbing sundries and fittings associated the underground pipe laying task</p> <p><b>Fix and Supply</b></p> <p>Surface mounted galvanized pipe 1 inch (25mm) and branches (20mm and 15mm) with copper pipe ((22mm and 15mm)</p> <p>2. Plumbing sundries and fittings associated the surface pipe laying task e.g. elbows, tees, adaptors and isolation valves.</p> <p>3. Cutting through the concrete for underground pipe access (50metres) and reinstatement of concrete finish of not less 150mm thickness.</p> <p>4. Working at heights of 10meters for surface mounted pipes replacements. Use of scaffolding recommended</p> <p>5. Removal of rubbles from site and disposed accordingly</p> <p><b>CONTACT PERSON MR B. CHIMHUYA 0712097551</b><br/> <b>MANDATORY SITE VISTE 4 SEPTEMBER 2026 AT 11:00 AM</b><br/> <b>CLOSING DATE OF TENDER 09 SEPTEMBER 2026</b></p> | <p>50m</p> <p>65m</p> <p>50m</p> <p>65m</p> |               |

|    |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                             |                       |
|----|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| 2  | RFQ716-26  | <p>For supply and delivery of electricals for LTE base station purchase as per lot:</p> <ol style="list-style-type: none"> <li>1. ZETDC standard 3 phase free standing meter box with 2 compartments. Mounted with 16mm fit neutral bar, asbestos 2mm</li> <li>2. 3 x 3 surface box</li> <li>3. 80 amp single pole MCB</li> <li>4. 100 amp single pole MCB</li> <li>5. Galvanised earth rod and clamp</li> <li>6. Glands and shroud size 3</li> <li>7. Aluminium – CU PG Clamps</li> <li>8. 10mm lugs</li> <li>9. 16mm lugs</li> <li>10. New hyman MCB tray (300mm)</li> <li>11. 16mm line taps</li> <li>12. 10mm raw bolts</li> <li>13. 6mm fisher plugs (packet of 25)</li> <li>14. 4.0 x 45mm drywall screws (packet of 100)</li> <li>15. 12mm veranda bolts and nuts</li> <li>16. M3 insulation tape</li> <li>17. 10mm saddles</li> </ol> <p><b>CONTACT PERSON MR G. JADAGU 0776374318</b></p>                                                                                                                                             | <p>30</p> <p>80</p> <p>30</p> <p>30</p> <p>60</p> <p>60</p> <p>60</p> <p>6</p> <p>60</p> <p>30</p> <p>180</p> <p>180</p> <p>30 packets</p> <p>20 packets</p> <p>240</p> <p>90</p> <p>10</p> |                       |
| 2  | RFQ 717-26 | <p><b>REPAIRS AT ZVISHAVANE TELONE EXCHANGE</b></p> <ol style="list-style-type: none"> <li>1. Remove corroded/damaged galvanized gutters</li> <li>2. Remove damaged timber fascia boards</li> <li>3. Supply and install new galvanized gutters</li> <li>4. Supply and install new asbestos fascia boards, clad on Timber</li> <li>5. Prepare exterior wall surfaces to receive new paint and apply two coats PVA ivory to wall surface.</li> <li>6. Two coats red oxide brick dressing. Fix and supply</li> <li>7. 2 coats clear brick dressing. Fix and supply</li> <li>8. 2 coats enamel gloss white to asbestos fascia board surfaces. Fix and supply.</li> <li>9. 2 coats enamel gloss grey to door frames and door surfaces. Fix and supply.</li> <li>10. Secure sagging ceiling boards and associated brandering. Allow for ceiling white re-touch.</li> </ol> <p><b>CONTACT PERSON MR B. CHIMHUYA 0712097551</b><br/> <b>MANDATORY SITE VISTE 4 SEPTEMBER 2026 AT 11:00 AM</b><br/> <b>CLOSING DATE OF TENDER 09 SEPTEMBER 2026</b></p> | <p>32m</p> <p>56m</p> <p>32m</p> <p>56</p> <p>320 sqm</p> <p>66 sqm</p> <p>230 sqm</p> <p>30 sqm</p> <p>13 sqm</p> <p>50 sqm</p>                                                            |                       |
| 3. | 703-26     | Supply and delivery of wood screws 4*45mm packed in 200s                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 90 packets of 200s                                                                                                                                                                          | See sample at general |

|     |        |                                                                                                                                                                                                                                                                                              |                                  |                                                               |
|-----|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------------------------------------|
|     |        |                                                                                                                                                                                                                                                                                              |                                  | stores, epton street                                          |
| 4.  | 718-26 | Supply and delivery of alcohol 100% in 1litre bottles                                                                                                                                                                                                                                        | 90                               | See sample at apparatus store, epton st                       |
| 5.  | 719-26 | Supply and delivery of fibre cleaning optic wipes (kim wipes)                                                                                                                                                                                                                                | 50                               | See sample at apparatus store, epton st                       |
| 6.  | 720-26 | Supply and delivery of pvc trunking 40*100mm*6m length                                                                                                                                                                                                                                       | 75                               | See sample at apparatus store, epton st                       |
| 7.  | 721-26 | Supply and delivery of cables:<br><br>1. 4 Core 16mm armored cable<br><br>2. 10mm earth wire (bare)<br><br><b>CONTACT PERSON MR G. JADAGU 0776374318</b>                                                                                                                                     | 1200m<br><br>1200m               |                                                               |
| 8.  | 722-26 | Supply and delivery of petrol oil 10W-40 synthetic 5L packaging preferably Castrol                                                                                                                                                                                                           | 2,400L                           | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 9.  | 723-26 | Supply and delivery of Mazda 2.2 Diesel T6 spares as follows:<br><br><ul style="list-style-type: none"> <li>• Air filter</li> <li>• Oil Filter</li> <li>• Fuel Filter</li> </ul>                                                                                                             | 30<br>30<br>30                   | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 10. | 724-26 | Supply and delivery of NP200 spares as follows:<br><br><ul style="list-style-type: none"> <li>• Overhaul gasket</li> <li>• Head gasket</li> <li>• Water pump</li> <li>• 12V Alternator</li> <li>• Clutch master cylinder</li> </ul>                                                          | 60<br>30<br>30<br>12<br>36       | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 11. | 725-26 | Supply and delivery of NP200 spares as follows:<br><br><ul style="list-style-type: none"> <li>• Radiator</li> <li>• Radiator fan</li> <li>• Clutch slave</li> <li>• Ignition key</li> </ul>                                                                                                  | 30<br>24<br>60<br>30             | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 12. | 726-26 | Supply and delivery of NP200 spares as follows:<br><br><ul style="list-style-type: none"> <li>• Rectangular Air filter</li> <li>• Stub Axel LHS</li> <li>• Stub Axel RHS</li> </ul>                                                                                                          | 120<br>60<br>60                  | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 13. | 727-26 | Supply and delivery of Generator spares as follows:<br><br><ul style="list-style-type: none"> <li>• Oil filter Z66</li> <li>• Diesel Filter Z75</li> <li>• Diesel Filter Z94</li> <li>• Oil filter P555680 Volvo</li> <li>• Oil filter kipor Engine</li> <li>• Diesel Filter Z144</li> </ul> | 60<br>60<br>60<br>60<br>60<br>60 | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 14. | 728-26 | Supply and delivery of NP200 tyres 185/65/R15                                                                                                                                                                                                                                                | 120                              | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 15. | 729-26 | Supply and delivery of tyres 245/70R16                                                                                                                                                                                                                                                       | 60                               | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 16. | 730-26 | Supply and delivery of tyres 235/75R17,5                                                                                                                                                                                                                                                     | 42                               | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 17. | 731-26 | Supply and delivery of tyres 195R14                                                                                                                                                                                                                                                          | 60                               | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 18. | 732-26 | Supply and delivery of motor vehicle batteries preferably willards/exide as follows:                                                                                                                                                                                                         |                                  | Samples for viewing at TelOne Transport Stores,               |

|     |        |                                                                                                                                                                                   |          |                                                               |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------------------------------|
|     |        | <ul style="list-style-type: none"> <li>Battery size 622</li> <li>Battery size 628</li> </ul>                                                                                      | 60<br>60 | Epton, Harare                                                 |
| 19. | 733-26 | Supply and delivery of motor vehicle batteries preferably willards/exide size 683                                                                                                 | 20       | Samples for viewing at TelOne Transport Stores, Epton, Harare |
| 20. | 734-26 | Supply and delivery of motor vehicle batteries preferably willards/exide as follows: <ul style="list-style-type: none"> <li>Battery size 674</li> <li>Battery size 650</li> </ul> | 20<br>60 | Samples for viewing at TelOne Transport Stores, Epton, Harare |

**Closing date for ALL Tenders: On or before 11:00hrs; Wednesday 02 September 2026**

### **Bidding Terms**

- Quotations should be in US\$ payable in local currency (ZWL)
- Payment Terms – 30 days
- Bidders to provide valid tax clearance certificate
- Bidders with outstanding orders for any of the above items will not be considered.
- TELONE RESERVES THE RIGHT TO INCREASE AND DECREASE QUANTITY
- Bidders should also be compliant with the new regulations for FISCAL TAX INVOICE where necessary.
- Each tender should be in its own envelope; tenders should not be mixed on one quotation.
- It is the Bidder's responsibility to ensure that they receive a receipt confirming submission of their bid that has correct details of the Bidder and the number of the Bid.

Your Tender should state the price (Please state your VAT status), a firm delivery date Emailed to both [procurement@telone.co.zw](mailto:procurement@telone.co.zw) and [procurement@telmail.co.zw](mailto:procurement@telmail.co.zw). Physical copies to be **HAND DELIVERED** to TelOne, Procurement, 8<sup>th</sup> Floor, Runhare House.

## **RFQ 711-26**

### **Auxiliary Crutches**



RFQ 714-26

Core i5 13<sup>th</sup> Gen General Laptop specifications

| Item | Technical Requirements/Specifications                                                                                                                                                                                                    | Compliance |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 1    | <b>Channel of Distribution:</b> To meet local vendor Warranty centre requirements                                                                                                                                                        |            |
| 2    | <b>Warranty Centre</b> Laptop MUST have local (Zimbabwean warranty centre)                                                                                                                                                               |            |
| 3    | <b>Processor:</b> Intel® Core™ i5-i5-1335U (up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads)                                                                                                      |            |
| 4    | <b>RAM:</b> 16 GB DDR4 SDRAM memory                                                                                                                                                                                                      |            |
| 5    | <b>Hard Drive Size:</b> 1Tb SSD Minimum                                                                                                                                                                                                  |            |
| 6    | <b>Display:</b> 13 to 15 Inch diagonal High-Definition Display (1366 x 768), Intel HD Graphics with up to 1696MB total graphics memory ((Non Touch)                                                                                      |            |
| 7    | <b>External Ports:</b> 1 USB Type-C® 5Gbps signaling rate (supports data transfer only and does not support charging or external monitors); 2 USB Type-A 5Gbps signaling rate; 1 AC smart pin; 1 HDMI 1.4b; 1 headphone/microphone combo |            |
| 8    | <b>Audio:</b> Advanced Audio with internal speakers;                                                                                                                                                                                     |            |
| 9    | <b>Outlook:</b> Brushed metal finish; Webcam with integrated digital microphone;                                                                                                                                                         |            |
| 10   | <b>Operating System:</b> Windows 11 64-bit                                                                                                                                                                                               |            |
| 11   | <b>Carry case:</b> Backpack laptop bag (see specs below)                                                                                                                                                                                 |            |
| 12   | <b>Battery Life</b> 6hrs productive usage                                                                                                                                                                                                |            |
| 13   | <b>Battery Type</b> Lithium Ion-cell                                                                                                                                                                                                     |            |
| 14   | <b>Laptop Level</b> No entry level like HP 15, HP 250)                                                                                                                                                                                   |            |
| 15   | <b>Warranty:</b> 1-year warranty                                                                                                                                                                                                         |            |

| Feature                   | Technical Specification                                                                                                                  |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Interfaces                | 4 x 2.5G/1G/100M/10M<br><br>1 x 10G/2.5G/1G<br><br>2 x 10G SPF+                                                                          |
| Security                  | Stateful Firewall, Application-aware Layer 7 Firewall, Content filtering, Intrusion Prevention (IPS/IDS), DPI and traffic identification |
| VPN & SDWAN               | Site-to-site VPN, VPN Server, VPN Client                                                                                                 |
| Networking                | Multi-WAN load balancing, Advanced QoS, Dynamic routing                                                                                  |
| System memory             | 2G                                                                                                                                       |
| Management                | Ethernet, Bluetooth                                                                                                                      |
| Maximum power consumption | 25W (excluding PoE output)                                                                                                               |
| Voltage range             | 100-240V DC                                                                                                                              |